## **AMENDMENT TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Currently Amended) A compound comprising:
  - a. at least one elastomeric polymer, wherein the polymers does not include a conjugated aliphatic diene, wherein the polymer has having an average molecular weight M<sub>n</sub> of more than 20,000 g/mol and less than 15 wt.% of solid-matter insoluble in boiling cyclohexane under reflux for 60 min and comprises comprising repeating units derived from at least one C₄ to C₂ isomonoolefin monomer, at least one multiolefin cross-linking agent and at least one chain transfer agent, and, wherein the polymer comprises less than 15 wt.% of solid matter insoluble in boiling cyclohexane under reflux for 60 min;
  - b. at least one filler and
  - c. a peroxide curing system[.], wherein the polymer does not comprise a conjugated diene, and wherein the chain transfer agent has a transfer coefficient of at least 10 and is 1-methylcycloheptene, 1-methyl-1-cyclopentene, 2-ethyl-1-hexene, 2,4,4-trimethyl-1-pentene, indene or a mixture thereof.
- (Original) A compound according to Claim 1, wherein the multiolefin cross-linking agent(s) is norbornadiene, 2-isopropenylnorbornene, 5-vinyl-2-norbornene, 1,3,5-hexatriene, 2-phenyl-1,3-butadiene, divinylbenzene, diisopropenylbenzene, divinyltoluene, divinylxylene, C<sub>1</sub> to C<sub>20</sub> alkyl-substituted derivatives of the above compounds or mixtures thereof.
- Cancelled.
- (Currently Amended) A compound according to Claim 1, wherein the peroxide system is an organic peroxide.

PO-7945

- 5. (Original) A compound according to Claim 4, wherein the peroxide system is dialkylperoxides, ketalperoxides, aralkylperoxides, peroxide ethers, peroxide esters, such as di-tert.-butylperoxide, bis-(tert.-butylperoxy-isopropyl)-benzene, dicumylperoxide, 2,5-dimethyl-2,5-di(tert.-butylperoxy)-hexane, 2,5-dimethyl-2,5-di(tert.-butylperoxy)-hexane-(3), 1,1-bis-(tert.-butylperoxy)-3,3,5-trimethyl-cyclohexane, benzoylperoxide, tert.-butylcumylperoxide, tert.-butylperbenzoate or a mixture thereof.
- (Original) A compound according to Claim 1, wherein the polymer comprises
  one or more additional polymerizable co-polymers selected from the group
  consisting of p-methylstyrene, styrene, α-methylstyrene, p-chlorostyrene, pmethoxystyrene, indene and mixtures thereof.
- 7. (Currently Amended) A compound according to Claim 1 further comprising a rubber selected from the group consisting of polybutadiene, butadiene/acrylic acid-C<sub>1</sub>-C<sub>4</sub>-alkylester-copolymers, polychloroprene, polyisoprene, styrene/butadiene-copolymers with styrene contents in the range of 1 to 60 wt%, butadiene/acrylonitrile-copolymers with acrylonitrile contents of 5 to 60 wt%, partially or totally hydrogenated NBR-rubber, ethylene/propylene/diene-copolymers, fluoropolymers, fluororubbers and mixtures.
- (Original) A process for the manufacturing of a compound according to Claim
   , wherein the elastomeric polymer is mixed with at least one filler and at
   least one peroxide curing system in a mixing means.
- 9. (Currently Amended) A process for the manufacturing of an elastomeric polymer comprising the step of polymerizing a monomer mixture comprising at least one C<sub>4</sub> to C<sub>7</sub> isomonoolefin monomer, at least one a multifunctional cross-linking agent, and at least one chain-transfer agent in the presence of a catalyst, wherein the polymer contains less than 15 wt.% of solid matter insoluble in boiling cyclohexane under reflux for 60 min and has no double-bonds in the polymer chain, and wherein the chain transfer agent has a PO-7945

transfer coefficient of at least 10 and is 1-methylcycloheptene, 1-methyl-1-cyclopentene, 2-ethyl-1-hexene, 2,4,4-trimethyl-1-pentene, indene, or a mixtures thereof.

- (Original) A shaped article comprising a compound according to Claim 1.
- (Original) A vulcanized shaped article prepared by vulcanizing a shaped article according to Claim 7.
- 12. (Currently Amended) A compound comprising:
  - a. at least one elastomeric polymer having an average molecular weight M<sub>D</sub> of more than 20,000 g/mol and less than 15 wt.% of solid matter insoluble in boiling cyclohexane under reflux for 60 min comprising repeating units derived from at least one C<sub>4</sub> to C<sub>7</sub> isomonoolefin monomer, at least one multiple multiple monomer, at least one chain transfer agent.

at least one elastomeric polymer, wherein the polymers do not include a conjugated aliphatic diene, wherein the polymer has an average molecular weight Mn of more than 20,000 g/mol and comprises repeating units derived from at least one  $G_4$  to  $G_7$  isomonoelefin cross linking agent and at least one chain transfer agent, and, wherein the polymer comprises less than 15 wt. % of solid matter insoluble in beiling cyclohexane under relfux for 60 min...

- b. at least one filler, and
- e) <u>c.</u> a peroxide curing system, wherein the compound is isoprene free <u>and wherein the chain transfer agent</u> has a transfer coefficient of at least 10 and is 1-methylcycloheptene, 1-methyl-1-cyclopentene, 2-ethyl-1-hexene, 2,4,4-trimethyl-1-pentene,

PO-7945 - 5 -

indene or a mixtures thereof.